



Industrial Hydraulic Quick Element Guide

By Part Number

Series	Minimum 150 psid	Element 300 psid	Collapse 3000 psid	Nominal O.D.	Nominal I.D.	End Cap	Nominal Length	Nominal Length	Nominal Length	Nominal Length	Nominal Length	Micropleat Media	Microfil III Media	HiCollapse Microfil III Media	Poromesh Media	Seal Type
0060		X	X	1.87"	0.87"	SOE	3.36"									
0110		X	X	1.87"	0.87"	SOE	6"					X	X	X	SPECIAL	O-RING
0160		X	X	2.7"	1.33"	SOE	4.56"					X	X	X	SPECIAL	O-RING
0240		X	X	2.7"	1.33"	SOE	6.85"					X	X	X	SPECIAL	O-RING
0330		X	X	3.56"	1.89"	SOE	6.4"					X	X	X	SPECIAL	O-RING
0660		X	X	3.56"	1.89"	SOE	13"					X	X	X	SPECIAL	O-RING
1100	X	SPECIAL	SPECIAL	0.83"	0.37"	SOE	1.9"					X	X		X	O-RING
1200	X	SPECIAL	X	1.1"	0.62"	SOE	4.65"					X	X	X	X	O-RING
1300	X	X	SPECIAL	1.65"	0.88"	SOE	3.5"					X	X	SPECIAL	X	O-RING
1400		X	X	1.7"	1.0"	SOE	4.47"	8.18"				X	X	X	X	O-RING
1427		X	X	2"	1.25"	SOE	7"					X	X	X	SPECIAL	O-RING
30P0		X	X	2.36"	1.41"	SOE	5.34"	9.16"				X	X	X	X	O-RING
6100	100 psid			3.83"	1.6"	DOE	9.1"					X	X			GROMMET
6300	X Min Burst			3.07"	1.61"	SOE	8.2"	13.0"	16.9"	25.8"			X			O-RING
6400	X Min Burst			3.4"	2.0"	SOE	8.0"	12.9"	16.9"	25.7"			X			O-RING
6500	X Min Burst			3.7"	2.2"	SOE	12.9"	16.8"	25.7"				X			O-RING
8200	X			3.1"	1.5"	SOE	8"	13"	16"			X	X			O-RING
8300	X			6.0"	4.1"	DOE	8.0"	16.0"	39.0"			X	X			O-RING
8310	X			6.0"	4.1"	DOE	7.5"	16.0"	38.0"			X	X			O-RING
8314	X			6.0"	3.77"	DOE	14.5"	36.4"	SPECIAL			X	X			O-RING
8400	X			6.0"	3.25"	DOE	8"	16"	26"	39"		X	X			O-RING
8500	X			3.8"	1.7"	DOE	8"	13"	26"			X	X			O-RING
8800	X			3.4"	1.9"	SOE	8"	13"	16"			X	X			O-RING
8900	X	X		3.79"	2.18"	SOE	8"	13"	16"	26"	39"	X	X			O-RING
9100	X			2.84"	1.3"	SOE	4.6"	8.2"	13"				X			O-RING
9400	X		X	3.79"	2.18"	DOE	13"	26"	39"	SPECIAL		X	X	X		O-RING
9600	X		X	3.1"	1.7"	SOE	4"	8"	13"	16"	SPECIAL	X	X	X	X	O-RING
9650	X		X	3.1"	1.7"	DOE	8"	16"				X	X	X		O-RING
9700	X		X	3.93"	1.63"	DOE	9"	18"	27"			X	X	X	X	O-RING
9800		X	X	2.0"	.9"	SOE	4"	8"	13"			X	X	X	X	O-RING
A100	X			3.0"	1.05"	DOE	4.65"					X	X		SPECIAL	GROMMET
C100	X			2.82"	1.06"	SOE	4.68"	9.5"				X	X			GROMMET
K100	X			3.83"	1.6"	DOE	9.1"					X	X		X	GROMMET
P718	X			6.16"	2.64"	DOE	18"					X	X			GASKET
P736	X			6.16"	2.64"	DOE	36"					X	X			GASKET

Purolator Facet, Inc. 8439 Triad Drive Greensboro, NC 27409

Tel: 800-852-4449 or 336-668-4444

FAX: 336-668-4452

E-mail: info@purolator-facet.com

Web site: www.purolator-facet.com



Industrial Hydraulic Quick Element Guide

By Length

Series	Minimum	Element	Collapse	Nominal	Nominal	End Cap	Nominal	Nominal	Nominal	Nominal	Nominal	Micropleat	Microfil III	HiCollapse	Poromesh	Seal
P/N	150 psid	300 psid	3000 psid	O.D.	I.D.		Length	Length	Length	Length	Length	Media	Media	Media	Media	Type
1100	X	SPECIAL	SPECIAL	0.83"	0.37"	SOE	1.9"					X	X		X	O-RING
6500	X Min Burst			3.7"	2.2"	SOE	12.9"	16.8"	25.7"				X			O-RING
0660		X	X	3.56"	1.89"	SOE	13"					X	X	X	SPECIAL	O-RING
9400	X		X	3.79"	2.18"	DOE	13"	26"	39"	SPECIAL		X	X	X		O-RING
8314	X			6.0"	3.77"	DOE	14.5"	36.4"	SPECIAL			X	X			O-RING
P718	X			6.16"	2.64"	DOE	18"					X	X			GASKET
0060		X	X	1.87"	0.87"	SOE	3.36"									
1300	X	X	SPECIAL	1.65"	0.88"	SOE	3.5"					X	X	SPECIAL	X	O-RING
P736	X			6.16"	2.64"	DOE	36"					X	X			GASKET
9800		X	X	2.0"	.9"	SOE	4"	8"	13"			X	X	X	X	O-RING
9600	X		X	3.1"	1.7"	SOE	4"	8"	13"	16"	SPECIAL	X	X	X	X	O-RING
1400		X	X	1.7"	1.0"	SOE	4.47"	8.18"				X	X	X	X	O-RING
0160		X	X	2.7"	1.33"	SOE	4.56"					X	X	X	SPECIAL	O-RING
9100	X			2.84"	1.3"	SOE	4.6"	8.2"	13"				X			O-RING
1200	X	SPECIAL	X	1.1"	0.62"	SOE	4.65"					X	X	X	X	O-RING
A100	X			3.0"	1.05"	DOE	4.65"					X	X		SPECIAL	GROMMET
C100	X			2.82"	1.06"	SOE	4.68"	9.5"				X	X			GROMMET
30P0		X	X	2.36"	1.41"	SOE	5.34"	9.16"				X	X	X	X	O-RING
0110		X	X	1.87"	0.87"	SOE	6"					X	X	X	SPECIAL	O-RING
0330		X	X	3.56"	1.89"	SOE	6.4"					X	X	X	SPECIAL	O-RING
0240		X	X	2.7"	1.33"	SOE	6.85"					X	X	X	SPECIAL	O-RING
1427		X	X	2"	1.25"	SOE	7"					X	X	X	SPECIAL	O-RING
8310	X			6.0"	4.1"	DOE	7.5"	16.0"	38.0"			X	X			O-RING
8200	X			3.1"	1.5"	SOE	8"	13"	16"			X	X			O-RING
9650	X		X	3.1"	1.7"	DOE	8"	16"				X	X	X		O-RING
8800	X			3.4"	1.9"	SOE	8"	13"	16"			X	X			O-RING
8900	X	X		3.79"	2.18"	SOE	8"	13"	16"	26"	39"	X	X			O-RING
8500	X			3.8"	1.7"	DOE	8"	13"	26"			X	X			O-RING
8400	X			6.0"	3.25"	DOE	8"	16"	26"	39"		X	X			O-RING
6400	X Min Burst			3.4"	2.0"	SOE	8.0"	12.9"	16.9"	25.7"			X			O-RING
8300	X			6.0"	4.1"	DOE	8.0"	16.0"	39.0"			X	X			O-RING
6300	X Min Burst			3.07"	1.61"	SOE	8.2"	13.0"	16.9"	25.8"			X			O-RING
9700	X		X	3.93"	1.63"	DOE	9"	18"	27"			X	X	X	X	O-RING
6100	100 psid			3.83"	1.6"	DOE	9.1"					X	X			GROMMET
K100	X			3.83"	1.6"	DOE	9.1"					X	X		X	GROMMET

Purolator Facet, Inc. 8439 Triad Drive Greensboro, NC 27409

Tel: 800-852-4449 or 336-668-4444

FAX: 336-668-4452

E-mail: info@purolator-facet.com

Web site: www.purolator-facet.com



Industrial Hydraulic Quick Element Guide

By I.D.

Series	Minimum	Element	Collapse	O.D.	I.D.	End Cap	Length	Length	Length	Length	Length	Micropleat	Microfil III	HiCollapse	Poromesh	Seal
P/N	150 psid	300 psid	3000 psid	Nominal	Nominal		Nominal	Nominal	Nominal	Nominal	Nominal	Media	Media	Media	Media	Type
9800		X	X	2.0"	.9"	SOE	4"	8"	13"			X	X	X	X	O-RING
1100	X	SPECIAL	SPECIAL	0.83"	0.37"	SOE	1.9"					X	X		X	O-RING
1200	X	SPECIAL	X	1.1"	0.62"	SOE	4.65"					X	X	X	X	O-RING
0060		X	X	1.87"	0.87"	SOE	3.36"									
0110		X	X	1.87"	0.87"	SOE	6"					X	X	X	SPECIAL	O-RING
1300	X	X	SPECIAL	1.65"	0.88"	SOE	3.5"					X	X	SPECIAL	X	O-RING
1400		X	X	1.7"	1.0"	SOE	4.47"	8.18"				X	X	X	X	O-RING
A100	X			3.0"	1.05"	DOE	4.65"					X	X		SPECIAL	GROMMET
C100	X			2.82"	1.06"	SOE	4.68"	9.5"				X	X			GROMMET
1427		X	X	2"	1.25"	SOE	7"					X	X	X	SPECIAL	O-RING
9100	X			2.84"	1.3"	SOE	4.6"	8.2"	13"				X			O-RING
0160		X	X	2.7"	1.33"	SOE	4.56"					X	X	X	SPECIAL	O-RING
0240		X	X	2.7"	1.33"	SOE	6.85"					X	X	X	SPECIAL	O-RING
30P0		X	X	2.36"	1.41"	SOE	5.34"	9.16"				X	X	X	X	O-RING
8200	X			3.1"	1.5"	SOE	8"	13"	16"			X	X			O-RING
6100	100 psid			3.83"	1.6"	DOE	9.1"					X	X			GROMMET
K100	X			3.83"	1.6"	DOE	9.1"					X	X		X	GROMMET
6300	X Min Burst			3.07"	1.61"	SOE	8.2"	13.0"	16.9"	25.8"			X			O-RING
9700	X		X	3.93"	1.63"	DOE	9"	18"	27"			X	X	X	X	O-RING
8500	X			3.8"	1.7"	DOE	8"	13"	26"			X	X			O-RING
9600	X		X	3.1"	1.7"	SOE	4"	8"	13"	16"	SPECIAL	X	X	X	X	O-RING
9650	X		X	3.1"	1.7"	DOE	8"	16"				X	X	X		O-RING
0330		X	X	3.56"	1.89"	SOE	6.4"					X	X	X	SPECIAL	O-RING
0660		X	X	3.56"	1.89"	SOE	13"					X	X	X	SPECIAL	O-RING
8800	X			3.4"	1.9"	SOE	8"	13"	16"			X	X			O-RING
6400	X Min Burst			3.4"	2.0"	SOE	8.0"	12.9"	16.9"	25.7"			X			O-RING
8900	X	X		3.79"	2.18"	SOE	8"	13"	16"	26"	39"	X	X			O-RING
9400	X		X	3.79"	2.18"	DOE	13"	26"	39"	SPECIAL		X	X	X		O-RING
6500	X Min Burst			3.7"	2.2"	SOE	12.9"	16.8"	25.7"				X			O-RING
P718	X			6.16"	2.64"	DOE	18"					X	X			GASKET
P736	X			6.16"	2.64"	DOE	36"					X	X			GASKET
8400	X			6.0"	3.25"	DOE	8"	16"	26"	39"		X	X			O-RING
8314	X			6.0"	3.77"	DOE	14.5"	36.4"	SPECIAL			X	X			O-RING
8300	X			6.0"	4.1"	DOE	8.0"	16.0"	39.0"			X	X			O-RING
8310	X			6.0"	4.1"	DOE	7.5"	16.0"	38.0"			X	X			O-RING

Purolator Facet, Inc. 8439 Triad Drive Greensboro, NC 27409

Tel: 800-852-4449 or 336-668-4444

FAX: 336-668-4452

E-mail: info@purolator-facet.com

Web site: www.purolator-facet.com



Industrial Hydraulic Quick Element Guide

By O.D

Series	Minimum	Element	Collapse	Nominal	Nominal	End Cap	Nominal	Nominal	Nominal	Nominal	Nominal	Micropleat	Microfil III	HiCollapse	Poromesh	Seal
P/N	150 psid	300 psid	3000 psid	O.D.	I.D.		Length	Length	Length	Length	Length	Media	Media	Media	Media	Type
1100	X	SPECIAL	SPECIAL	0.83"	0.37"	SOE	1.9"					X	X		X	O-RING
1200	X	SPECIAL	X	1.1"	0.62"	SOE	4.65"					X	X	X	X	O-RING
1300	X	X	SPECIAL	1.65"	0.88"	SOE	3.5"					X	X	SPECIAL	X	O-RING
1400		X	X	1.7"	1.0"	SOE	4.47"	8.18"				X	X	X	X	O-RING
0060		X	X	1.87"	0.87"	SOE	3.36"									
0110		X	X	1.87"	0.87"	SOE	6"					X	X	X	SPECIAL	O-RING
1427		X	X	2"	1.25"	SOE	7"					X	X	X	SPECIAL	O-RING
9800		X	X	2.0"	.9"	SOE	4"	8"	13"			X	X	X	X	O-RING
30P0		X	X	2.36"	1.41"	SOE	5.34"	9.16"				X	X	X	X	O-RING
0160		X	X	2.7"	1.33"	SOE	4.56"					X	X	X	SPECIAL	O-RING
0240		X	X	2.7"	1.33"	SOE	6.85"					X	X	X	SPECIAL	O-RING
C100	X			2.82"	1.06"	SOE	4.68"	9.5"				X	X			GROMMET
9100	X			2.84"	1.3"	SOE	4.6"	8.2"	13"				X			O-RING
A100	X			3.0"	1.05"	DOE	4.65"					X	X		SPECIAL	GROMMET
6300	X Min Burst			3.07"	1.61"	SOE	8.2"	13.0"	16.9"	25.8"			X			O-RING
8200	X			3.1"	1.5"	SOE	8"	13"	16"			X	X			O-RING
9600	X		X	3.1"	1.7"	SOE	4"	8"	13"	16"	SPECIAL	X	X	X	X	O-RING
9650	X		X	3.1"	1.7"	DOE	8"	16"				X	X	X		O-RING
8800	X			3.4"	1.9"	SOE	8"	13"	16"			X	X			O-RING
6400	X Min Burst			3.4"	2.0"	SOE	8.0"	12.9"	16.9"	25.7"			X			O-RING
0330		X	X	3.56"	1.89"	SOE	6.4"					X	X	X	SPECIAL	O-RING
0660		X	X	3.56"	1.89"	SOE	13"					X	X	X	SPECIAL	O-RING
6500	X Min Burst			3.7"	2.2"	SOE	12.9"	16.8"	25.7"				X			O-RING
8900	X	X		3.79"	2.18"	SOE	8"	13"	16"	26"	39"	X	X			O-RING
9400	X		X	3.79"	2.18"	DOE	13"	26"	39"	SPECIAL		X	X	X		O-RING
8500	X			3.8"	1.7"	DOE	8"	13"	26"			X	X			O-RING
6100	100 psid			3.83"	1.6"	DOE	9.1"					X	X			GROMMET
K100	X			3.83"	1.6"	DOE	9.1"					X	X		X	GROMMET
9700	X		X	3.93"	1.63"	DOE	9"	18"	27"			X	X	X	X	O-RING
8400	X			6.0"	3.25"	DOE	8"	16"	26"	39"		X	X			O-RING
8314	X			6.0"	3.77"	DOE	14.5"	36.4"	SPECIAL			X	X			O-RING
8300	X			6.0"	4.1"	DOE	8.0"	16.0"	39.0"			X	X			O-RING
8310	X			6.0"	4.1"	DOE	7.5"	16.0"	38.0"			X	X			O-RING
P718	X			6.16"	2.64"	DOE	18"					X	X			GASKET
P736	X			6.16"	2.64"	DOE	36"					X	X			GASKET

Purolator Facet, Inc. 8439 Triad Drive Greensboro, NC 27409

Tel: 800-852-4449 or 336-668-4444

FAX: 336-668-4452

E-mail: info@purolator-facet.com

Web site: www.purolator-facet.com